

Polishing Machine



2 Station Polishing Machine

For greater Suction working hoods designed aerodynamically.

Description:

- Ankitst's jewelry polishing machine is designed for professional jewelry manufacturing.
- It operates at 220V with a current of 10A and a power of 2.2 kW.
- The machine includes a 3 HP main motor and a 1 HP auxiliary motor for reliable performance.
- It features a maximum flow rate of 500 L/min and a 3-stage filtration system for effective

cleaning and polishing.

- Additional features include hand cushion presence, a magnifying glass, and a silencer for quiet operation.
- The machine has a maximum noise level of 70 dB, making it suitable for busy workshops and studios.
- Weighing 25 kg, it has dimensions of 60 cm x 40 cm x 80 cm, offering a compact yet powerful solution for jewelry polishing needs.

Technical Specifications:-

Particular	Details
Туре	PRO
Electrical	3phase, 440volts, 50Hz, 3.5HP
Suction Motor	2HP, 440V.
Polishing Motor2 unit	Single Shaft Spindle, 0.75HP, 2850 rpm 440V.
Working Flow Rate	650 CFM x 2 Ports±10%
Filtration	1 st stage 2 x Washable Cloth Bag Filter
	2 nd stage paper panel Filter (Happa)
Static Pressure (max)	8 Inch w.g
Hand Cushion	PU
Magnifying Glass	Yes
Silencer	Yes
Noise Level (max)	72 dB (A)
Weight	150kg
Dimensions	W-132.08 ½" D71.12" H136.7"

